



China abec 7 Bearing Supplier



6020 Bearing 2D drawings and 3D CAD models

Deep Groove Ball Bearing Distributor of NSK SKF Timken NTN Koyo 6020 6020zz 6020 2RS

Bearing No. 6020

Size	100x150x24 mm
Bore Diameter	100 mm
Outer Diameter	150 mm
Width	24 mm
d	100 mm
D	150 mm
B	24 mm
C	24 mm
r min.	1,5 mm
da min.	108 mm
Da max.	142 mm
ra max.	1,5 mm
Weight	1,25 Kg
Basic dynamic load rating (C)	60,2 kN
Basic static load rating (C0)	54,2 kN
(Grease) Lubrication Speed	4300 r/min
(Oil) Lubrication Speed	5100 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.351
Product Group	B00308
Enclosure	Open
Precision Class	ABEC 1 ISO P0



China abec 7 Bearing Supplier

Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	100MM Bore; 150MM Outside Diameter; 24MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6020
Weight / LBS	2.976
Outside Diameter	5.906 Inch 150 Millimeter
Outer Race Width	0.945 Inch 24 Millimeter
Bore	3.937 Inch 100 Millimeter
Bearing No.	6020
r(min)	1.5
Cr	75.2
C0r	54.2
Cu	2.70
f0	15.9
Grease lub.	4300
Oil lub.	5100



China abec 7 Bearing Supplier

da(min)	108
Da(max)	142
ra(max)	1.5
(Refer.)Mass(kg)	1.25